

Eating more sustainably

Fact sheet

In this fact sheet, you can learn more about sustainable food, an issue that's becoming increasingly important worldwide. That's because the food we eat has a major impact on the environment. Food production, for example, releases greenhouse gases and other substances, such as pesticides and ammonia, and uses up essential raw materials such as water, nitrogen and phosphates. This issue necessitates a change in our eating habits and in the way our food is produced.

The Netherlands Nutrition Centre gives consumers practical advice on how to eat in a more sustainable way. This fact sheet is designed to provide background information on this advice. Together with healthy and safe food, eating more sustainably is one of the three core themes on which the Nutrition Centre provides guidance. The Nutrition Centre bases its advice in this field on the recommendations of the Health Council of the Netherlands, among others, and has translated these recommendations into the Wheel of Five. A diet based on the Wheel of Five can be good for your health as well as beneficial in terms of sustainability. More sustainable choices can be made within each of the five segments of the Wheel of Five as well as from foods that are not part of the Wheel of Five.¹

Generally speaking, the greatest environmental benefit can be achieved by:

- eating less meat and more sources of plant-based proteins, such as pulses and nuts;
- wasting less food;
- only eating what you need;
- replacing alcohol, fruit juices and soft drinks with tap water, tea and/or coffee.

This advice is in line with previous guidance from the Health Council on a sustainable, healthy diet.^{2,3}

In this fact sheet, we explore the issues around eating more sustainably, the impact it has, potential solutions and the vision of the Nutrition Centre for the future.



Who is it relevant to?

This fact sheet is relevant to professionals and policy-makers who work in the field of healthy, sustainable food.

What are the current issues?

Food production is directly linked to sustainability factors such as land use, water use, depletion of resources, loss of biodiversity and greenhouse gas emissions.^{4,5} Food production also consumes large quantities of raw materials.⁶ Food is responsible for 21-37% of the total greenhouse gas emissions in the world.⁷ Worldwide, livestock production is responsible for around 14.5% of all greenhouse gas emissions and 70% of agricultural land use. Especially, the production of animal feed further requires a lot of water. Globally, around 41% of agricultural water is used for animal feed production.^{8,9,54} In the current food system, raw materials and resources are not being used as efficiently as they could be in the production and consumption of food.⁶

Current diet is not yet sustainable

The current Dutch diet is not sustainable. The food we eat makes an impact on the environment in a number of different ways: we consume a high proportion of animal products, we waste a huge amount of food, we consume more energy (kcal) than is recommended and few of us choose to eat in a sustainable, healthy way.^{10,11} We can change this diet by choosing more sustainable (see this fact sheet) and healthier foods, throwing less food away (see our fact sheet on Food Waste) and eating less. We have to make this change as a matter of urgency, because for many environmental factors (loss of biodiversity, disruption of the nitrogen and phosphorus

cycles, climate change, changes in land use), the planet's environmental boundaries have already been exceeded or are in the critical zone (see Figure).¹² The environmental footprint of the average Dutch diet (1.6 global hectare) is almost twice as large as the area that is available on the planet for food production per person (0.9 global hectare).¹³ As the world's population is growing rapidly, the demand for food up to 2050 will increase by around 60%, which will put even more pressure on the environment.¹⁴ In addition, climate change may jeopardise food production.




Figure 1: In the case of five environmental factors (loss of biodiversity, nitrogen cycle, phosphorus cycle, climate change, changes in land use), the planet's environmental boundaries have already been exceeded (red) or are in the critical zone (yellow).¹²

Global impact of food on the environment

Worldwide, the production and consumption of food is responsible for:

- 33% of soil degradation.
- overfishing of 29% of fish stocks.
- 60% of biodiversity loss on land.
- 80-85% of the fertilisers (nitrogen and phosphates) lost in the chain, which end up in the sea and result in a loss of marine biodiversity.
- 21-28% of greenhouse gas emissions.
- 70-80% of freshwater use.
- 80% of deforestation.
- 20% of all fossil fuel use.
- 38% of land use: 12% for agriculture.
- 26% (pasture land) for livestock production.^{5,15-18}

Impact of the food chain

On paper, there is sufficient food available to feed the current global population.¹⁹ Figure 2 shows what happens to the available food in the food chain, expressed in terms of kilocalories:^{o.a.19,20}

1. Food is wasted throughout the chain, from field to fork. Globally, more than half of the food we produce disappears from the chain.
2. A lot of food that could be eaten by humans is used to feed animals. Only a small proportion of it is converted into meat and dairy products.

What's more, the food that is ultimately available is not fairly distributed. Some people are starving, while others are obese.^{10, 21} In addition, food production consumes large amounts of fossil energy.²² Solutions to promote sustainable food and combat waste are therefore needed throughout the chain: from field to fork. Three quarters of the environmental impact occurs in the production chain. About a quarter of the environmental impact is caused at the household level.²³ If we are to shift towards a more circular food system (i.e. to use and reuse raw materials in the best possible way), we have to do three things:

- optimise the management and use of resources such as soil, water, biodiversity and minerals (nitrogen and phosphorus);
- stop wasting food;
- promote the utilisation of waste.⁶




Figure 2: Loss of available calories per person in the chain between harvest and the consumer (from field to fork). Of the 5,671 kcal available globally, ultimately only 2,455 kcal is consumed.¹⁹

What is the definition of eating more sustainably?

Sustainability is a broad concept, so it's important to explain which definitions we use and how we measure sustainability. The term 'sustainability' was coined by the UN's Brundtland Report from 1987. From this report, the Food and Agriculture Organization (FAO) and the World Health Organization (WHO) have derived a helpful definition of sustainable healthy diets: *Sustainable Healthy Diets are dietary patterns that promote all dimensions of individuals' health and wellbeing; have low environmental pressure and impact; are accessible, affordable, safe and equitable; and are culturally acceptable (...) and support the preservation of biodiversity and planetary health.*²⁴

The Dutch government reflects this definition in its policy: *The government is working on a comprehensive food policy based on public health, environmental sustainability and resilience, which will ensure that sufficient, safe, healthy and sustainably produced food is available in the long term to a rapidly growing global population. In this context, consumers should be encouraged to eat more healthily and more sustainably.*²⁵

Guaranteeing an adequate supply of food in the long term is known as 'food security'. When measuring sustainable consumption, the Dutch government takes into account not only the environmental impact but also such production and processing that is subject to environmental, animal welfare and/or social requirements which exceed legal obligations.²⁶

Underconsumption vs Overconsumption

A sustainable food supply involves ensuring that there will be sufficient, safe and healthy food for each and every person globally in the long term.²⁷ Currently however, 868 million people worldwide are going hungry and around 2 billion more are lacking in micronutrients. At the same time, 1.4 billion people worldwide are overweight or obese.²⁸

Objectives for food, climate and agriculture

Through its Food Agenda, the government is working, among other things, towards a more environmentally sustainable food system. This system stipulates that the quality of soil, water and air is protected, biodiversity is maintained and, at the same time, emissions of greenhouse gas are reduced. Food must be produced with a minimum of greenhouse gas emissions and as few pesticides and antibiotics as possible. In a parliamentary letter evaluating the Food Agenda and the Dutch food policy, it becomes clear that an integral approach is needed to achieve the objectives. Food producers, as well as consumers, supermarkets and other partners in the chain must take steps towards sustainability.²⁹

How do you measure sustainability?

The environmental impact of diets can be measured using a number of different indicators. The choice of indicator depends on the level you are looking at. You can look at individual or national diets, for example, or at the product level. The most studied and most commonly used indicators at the national level are the ecological footprint, carbon footprint, water footprint and energy footprint.³⁰ The Netherlands Nutrition Centre uses the ecological footprint as a metric for individual diet when communicating with consumers (Food footprint tool 'Voedselafdruk'). At the product level, the Nutrition Centre uses life cycle analysis indicators such as greenhouse gas emissions.

Life cycle assessment

A life cycle assessment (LCA) can be used to calculate various indicators of environmental impact at the product level, including:

1. Climate change*
2. Ozone depletion
3. Acidification*
4. Eutrophication*
5. Toxicity
6. Particulate matter
7. Ionising radiation
8. Land use (and land use change)*
9. Blue water use (irrigation water)*
10. Depletion of mineral resources
11. Fossil fuel depletion

An LCA calculates the environmental impact of a product for each stage in the chain (from raw material to waste). The key indicators (as indicated by an *) were identified in an expert workshop run by the National Institute for Public health and the Environment (RIVM), while soil degradation was added to these indicators. When calculating the environmental impact of diets, the following indicators are often used: greenhouse gas emissions, land use, energy consumption and water consumption. Greenhouse gas emissions are far and away the most commonly used indicator.³¹ Since there is a strong correlation between greenhouse gas emissions and other indicators, this figure can be used as a representative indicator.^{32, 33} At the product level, the Nutrition Centre therefore mainly uses the greenhouse gas emissions indicator.

Ecological footprint

The Global Footprint Network's ecological footprint demonstrates the environmental impact of diets.³⁴ It appears to be an effective indicator for monitoring the effectiveness of policy³⁵ and for raising awareness among consumers.³⁶ When calculating the food footprint, account is taken of the amount of land that is required for food production and for offsetting the CO₂ emissions. This calculation can be compared with the maximum production capacity or biocapacity of the land.³⁴ There is currently a debate on how to make this method more accurate and how it relates to other indicators.³⁷



Product level: greatest impact comes from animal products

In the Dutch diet, meat is responsible for easily the largest proportion of greenhouse gas emissions (see Table 1)³⁸ and land use.¹¹ For men (19-30 years), the largest contribution comes from red meat, milk and dairy products, non-alcoholic drinks, alcoholic drinks and cheese. For women (19-30 years) as well, red meat, milk and dairy products, non-alcoholic drinks and cheese make the largest contribution to greenhouse gases. Together, all animal product groups are responsible for almost 60% of greenhouse gas emissions.¹

Product group	Men (19-30 years)	Women (19-30 years)
Red meat	31%	29%
Milk/dairy products	12%	13%
Drinks (non-alcoholic)	7%	14%
Drinks (alcoholic)	6%	1%
Cheese	6%	7%
White meat	5%	7%

Table 1: contribution of products to the total greenhouse gas emissions of the Dutch diet, in terms of percentage.¹

Solutions

Eating less meat and more plant-based foods, and replacing alcoholic and sugary drinks with water, tea and coffee, would reduce greenhouse gas emissions by 15-35%.^{32, 39} Consumers can also opt for a more sustainable diet by selecting more sustainable products within food groups (e.g. vegetables). The type of meat, vegetables, cheese, fruit, fish and nuts selected is particularly important in this context. The effects within most product groups are not huge in absolute terms but, when taken together, they can significantly reduce greenhouse gas emissions.¹ Ultimately, the overall diet of consumers determines how sustainably they eat.

Diet: sustainable diet based on the Wheel of Five

Many Dutch people have a diet that results in high greenhouse gas emissions. Generally speaking, they consume a lot of saturated fat, alcohol and animal protein but little dietary fibre and plant-based protein and few carbohydrate.³⁸ The environmental impact of current consumption, expressed in terms of greenhouse gas emissions, is higher for men than for women. This is partly due to a higher consumption of energy, meat and alcoholic drinks.

Greater health benefits, lower environmental impact

A diet based on the Wheel of Five rather than the current diet could result in health benefits for all. For men (19-50 years), such a diet would also result in a reduced environmental impact (by 13%). For women, the environmental impact would remain roughly the same.¹ Those who make more sustainable choices within the Wheel of

Five can achieve even greater environmental benefits. Effects of making more sustainable choices within the Wheel of Five include the following:

- If you eat 400 grams of meat a week rather than the recommended maximum of 500 grams, this would result in a reduction in greenhouse gas emissions of 9% (for men) and 10% (for women).
- If you stop eating meat and replace it with pulses, nuts and eggs, this would result in a reduction in greenhouse gas emissions of 35% (for men) and 37% (for women).
- If you choose from all categories the products with the lowest environmental impact, such as chicken, mackerel and fresh cheeses, this would result in a reduction in greenhouse gas emissions of 30% (for men) and 34% (for women).
- If you choose the most sustainable products in all categories and stop eating meat, this would result in a reduction in greenhouse gas emissions of 47% (for men) and 49% (for women).

People who eat in accordance with the Wheel of Five Guidelines also consume less energy from products that are not part of the Wheel of Five. Consuming fewer non-Wheel of Five products than the norm, e.g. cakes and biscuits, sweets and snacks (on average 12% of the environmental impact) will reduce the impact on the environment. Consumers can also reduce their environmental impact by making daily or weekly choices that emit fewer greenhouse gases.¹ In general, your diet will also be more sustainable if you eat fewer (highly) processed products. That's because processing also generates non-circular residues and waste, resulting in the loss of valuable nutrients and a higher emission of greenhouse gases due to multiple processing stages.^{6,40}

No meat at all?

People who eat less meat and fewer dairy products have a lower impact on the environment. However, not all diets that excludes all meat or dairy products are optimally sustainable. A diet that includes a small amount of meat (around once a week) requires less agricultural land, for example, than a totally meat-free diet.⁴¹ This is because animals can convert some plant-based substances which are inedible to humans into edible proteins. Pigs, for example, can be fed waste from the food industry, such as sugar beet pulp, potato peelings and molasses (soya not included).⁴² In addition, some Dutch agricultural land is better suited to use as pasture land than it is to growing crops or to horticulture. Around a sixth of Dutch dairy cattle graze on such peat bog pastures. A part of Dutch beef comes from slaughtered cows that no longer produce milk. As a result, a small amount of meat is available anyway. However, this amount is far lower than current consumption.^{42, 43} If we look at the EAT-Lancet menu, created by a research committee, which looks at how we can feed a growing world population in 2050 in a healthy way within the limits of one planet, we see that animal products can still have a place on our plates. But particularly for meat this will be less than the current consumption.⁴⁴

More sustainable choices and nutrients

Generally speaking, people who make the most sustainable choices within the product groups of the Wheel of Five also consume sufficient nutrients. Consumers can check this requirement at the individual level by completing the Nutrition Centre's Diet Diary (Eetmeter).¹

Labelling: how do you make sustainability obvious?

The Nutrition Centre advises consumers on how to eat more sustainably. The sustainability of our food can be indicated in various ways. Producers, for example, include labels on their products. Certifications for food can help people to make more sustainable choices within a particular product group. At the product level, we look at the impact of food production on the environment (environment) or climate; the impact of the way animals are kept on animal welfare (animal welfare); and the impact of the production method on working conditions (people). Reliable, independent certifications are available for this purpose. The Nutrition Centre bases its advice on the criteria of the environmental organisation Milieu Centraal⁴⁵ and advises consumers to look out for the following certifications.

- ASC for farmed fish
- Beter Leven 2 and 3 stars for dairy, eggs and meat
- Demeter for organic-dynamic products
- EKO for organic products
- European organic for organic products
- Fairtrade for tropical products
- MSC for wild fish
- On the way to PlanetProof for dairy, eggs, fruit and vegetables
- Rainforest Alliance (including UTZ) for tropical products
- Roundtable on Sustainable Palm Oil for products containing palm oil
- Sustainable Rice Platform for rice
- Climate Neutral Certified for the climate impact of foods

BIOLOGISCH



The majority of the requirements in terms of people, animal welfare and the environment or climate under sustainability certifications are not incompatible with the environmental impact. There may, however, be a conflict of interest between animal welfare and environmental impact.⁴⁶ This dilemma applies to animal products only. Choosing organic products can also increase the environmental impact for certain environmental factors.⁴⁷⁻⁴⁹ Some animals and plants have a longer life span and grow more slowly, while some organic production has a lower yield per hectare, which means that more land is required. On the other hand, organic farming scores better on environmental factors such as energy use, soil quality and biodiversity.⁵⁰

There are two recommendations for overcoming this dilemma:

1. For producers and suppliers: Make a specific level of animal welfare a prerequisite, e.g. 'Beter Leven (Better living) 1 or 2 stars'. Products with a lower environmental impact can then be developed within these limitations.⁵¹
2. For consumers: Eat a less animal-based and more plant-based diet. This will automatically reduce your environmental impact. The leeway you create as a result can be filled in part by products with a certification for sustainability. This is known as the 'less is more' principle. For example, you eat less meat but the meat you do eat has a certification for animal welfare.

Seven steps for a more sustainable diet

The findings in this fact sheet can be presented to the consumer in the form of seven simple advices.



Sustainable and healthy often go hand in hand like in the two big steps of eating less meat and replacing it with plant-based products, and eating less of products you don't really need like sweets and snacks. This helps the environment and your health. But sometimes compromises are necessary. Consider dairy: the Health Council of the Netherlands recommends taking a few servings of dairy daily for your health. But next to meat, dairy also has a high environmental impact. The compromise is to take enough dairy to prevent chronic diseases and get enough nutrients, but not more than you need for that.

Future outlook

If consumers are to select what they eat in a well-informed way, they need reliable information. Not all production processes and chains are sufficiently transparent to enable people to make a carefully considered choice. It is therefore important that certifications are further refined. If reliable information on the environmental impact of food products is to be obtained, we need databases that contain sufficient environmental data on products and a consensus on the use and selection of indicators.

Tools for sustainable food choices

The Nutrition Centre developed the following tools in particular to enable people to make more sustainable choices: the Food Footprint, animal welfare grocery help (Boodschappenhulp), a guide on how to store foods correctly (Bewaarswijzer), sustainability information in recipes, certification information in the encyclopaedia, video's and podcasts on eating sustainably.

The Nutrition Centre also uses the following useful tools produced by other organisations: the VISwijzer (Fish checklist, Good Fish Foundation) and the 'keurmerkenwijzer' (sustainability certification checklist, Milieu Centraal).

When it comes to informing consumers, it is important that the themes of health, safety and sustainability are more closely integrated. Where there is synergy between them, a uniform message must be presented. The Wheel

of Five and the Health Council's guidelines are a good example of this synergy. If consumers are to be encouraged to eat a less animal based and more plant-based diet based on these guidelines, and the consumption of foodstuffs such as fruit, pulses and nuts is to be increased, a better understanding of people's behaviour will be required. Eating according to the 40:60 ratio (40% animal protein and 60% vegetable protein) as deemed desirable by the government is possible, provided that meat is substituted in full. More insight is needed into whether eating according to this ratio is practically feasible for vulnerable groups, and whether they are getting enough of all the nutrients with it. In 2022, the Health Council of the Netherlands will prepare an advisory report on the significance of the protein transition for the diet and health of the Dutch population.⁵² The Nutrition Centre uses a number of different tools to promote sustainability. In future, we want to incorporate the integrated message of sustainable, healthy and safe food in all our tools.

The Nutrition Centre is keen to act as an authority on sustainable eating for consumers, particularly since food security is further decreasing worldwide and the achievement of environmental targets is becoming increasingly urgent. The challenge is to make sufficient, healthy and safe food accessible, affordable and available to all.⁵³

The issue of food waste is discussed in the fact sheet Food Waste by Consumers. Additional information can be found in the following fact sheets: Food Poisoning & Hygiene, Wheel of Five and Pesticides and the source document "On the way towards a more plant-based diet".



The following experts, were consulted in the production of the original version of this document:

Dr E.H.M. (Liesbeth) Temme, Ms Mirjam E. van de Kamp*, scientific staff, RIVM

Dr Harry Aiking, Associate Professor in Chemistry and Food, Institute for Environmental Studies, VU Amsterdam

Dr Rianne M. Weggemans, scientific staff, Health Council of the Netherlands*

Mr Hans Blonk, Director, Blonk Consultants

Dr Stijn Bruers, Project Manager ecological footprint, Ecolife, Belgium*

Mr Henk J Westhoek & Ms Trudy Rood, senior policy researchers, Netherlands Environmental Assessment Agency (PBL)

Ms Jonna Snoek, researcher, Milieu Centraal*

**No longer working in the same position*

References

1. Brink, L., et al., Richtlijnen Schijf van Vijf. 2016, Voedingscentrum: Den Haag. p. 134.
2. Gezondheidsraad, Richtlijnen goede voeding ecologisch belicht. 2011, Gezondheidsraad: Den Haag. p. 92.
3. Gezondheidsraad, Richtlijnen Goede Voeding 2015, in Gezondheidsraad advies. 2015, Gezondheidsraad: Den Haag. p. 95.
4. Hertwich, E., et al., Assessing the Environmental Impacts of Consumption and Production: Priority Products and Materials, . 2010, UNEP: New York. p. 112.
5. UNEP, et al., Food Systems and Natural Resources. A Report of the Working Group on Food Systems of the International Resource Panel. 2016, UNEP.
6. Rood, T., H. Muilwijk, and H. Westhoek, Voedsel voor de circulaire economie. 2016, Planbureau voor de Leefomgeving: Den Haag.
7. Shukla, Priyadarshi R., et al. "Climate Change and Land: an IPCC special report on climate change, desertification, land degradation, sustainable land management, food security, and greenhouse gas fluxes in terrestrial ecosystems." 2019.
8. Gerber, P.J., et al., ackling climate change through livestock – A global assessment of emissions and mitigation opportunities,. 2013, Food and Agriculture Organization of the United Nations: Rome.
9. Stehfest, E., et al., Climate benefits of changing diet. Climatic Change, 2009. 95(1): p. 83-102.
10. Garnett, T., Food sustainability: problems, perspectives and solutions. Proceedings of the Nutrition Society, 2013. 72(01): p. 29-39.
11. de Valk, E., A. Hollander, and M. Zijp, Milieubelasting van de voedselconsumptie in Nederland. 2016, RIVM: Bilthoven. p. 128.
12. Steffen, W., et al., Planetary boundaries: Guiding human development on a changing planet. Science, 2015. 347(6223).
13. WWF, Living Planet Report 2016, WWF, Editor. 2016, WWF: Gland. p. 74.
14. FAO, How to Feed the World in 2050. 2010: Rome
15. Jägerskog, A. and T. Jøneh Clausen, Feeding a Thirsty World, Challenges and Opportunities for a Water and Food Secure Future. 2012, SIWI: Stockholm.
17. Aiking, H., Protein production: planet, profit, plus people? Am J Clin Nutr, 2014. 100(Supplement 1): p. 483S-489S.
18. Machovina, B., K.J. Feeley, and W.J. Ripple, Biodiversity conservation: The key is reducing meat consumption. Sci Total Environ, 2015. 536: p. 419-31.
19. Alexander, P., et al., Losses, inefficiencies and waste in the global food system. Agricultural Systems, 2017. 153: p. 190-200.
20. Lundqvist, J., C. de Fraiture, and D. Molden, Saving Water: From Field to Fork, in SIWI Policy Brief. 2008, Stockholm International Water Institute: Stockholm. p. 35.
21. Meier, T., Sustainable nutrition between the poles of health and environment. Ernahrungumschau, 2014. 62(2): p. 22-33.
22. Maynard, R., An inconvenient truth about food – Neither secure, nor resilient. 2009, Soil Association: Bristol. p. 14.
23. Kramer, K.J., et al., Greenhouse gas emissions related to Dutch food consumption. Energy Policy, 1999. 27(4): p. 203-216.
24. FAO and WHO. 2019. Sustainable healthy diets – Guiding principles. Rome. pagina 9
25. Dijkzma, S.A.M. and E.I. Schippers, Voedselagenda voor veilig, gezond en duurzaam voedsel, M.E. Zaken, Editor. 2015: Den Haag. p. 12.
26. Logatcheva, K. and J.v.d. Puttelaar, Monitor Duurzaam Voedsel. 2015, Wageningen University & Research: Wageningen. p. 14
27. Berry, E.M., et al., Food security and sustainability: can one exist without the other? Public Health Nutrition, 2015. 18(13): p. 2293-2302.
28. Fanzo, J., B. Cogill, and F. Mattei, Technical brief: metrics of sustainable diets and food systems, Bioversity International, Editor. 2012: Maccaresse, Italy. p. 1-8.
29. Staghoutwer, H., Kamerbrief over evaluatie voedselagenda 2016 – 2020 en het voedselbeleid. LNV. 2022
30. Fang, K., R. Heijungs, and G.R. de Snoo, Theoretical exploration for the combination of the ecological, energy, carbon, and water footprints: Overview of a footprint family. Ecological Indicators, 2014. 36: p. 508-518.
31. Jones, A.D., et al., A Systematic Review of the Measurement of Sustainable Diets. Advances in Nutrition: An International Review Journal, 2016. 7(4): p. 641-664.
32. Mirjam E. van de Kamp, et al., Individual foods chosen within a healthy diet have a large influence on the total environmental impact. Submitted, 2017.
33. van Dooren, C. and A. Douma, Greenhouse gas emissions related to saturated fat, sodium and dietary fibre content of food products in 8th International Conference on LCA in the Agri-Food Sector. 2012: Rennes, France.
34. Rees, W.E., Ecological footprints and appropriated carrying capacity: what urban economics leaves out. Environment and Urbanization, 1992. 4(2): p. 121-130.
35. EC, Roadmap to a Resource Efficient Europe: SEC (2011) 1067 final, SEC (2011) 1068 Final. 2011, European Commission: Brussels. p. 17-18.
36. van Dooren, C. and T. Bosschaert, Developing and disseminating a footprint tool to raise awareness about healthy and environmentally conscious food choices. Sustainability: Science, Practice, & Policy 2013. 9(2): p. 70-82.
37. Galli, A., et al., Questioning the Ecological Footprint. Ecological Indicators, 2016. 69: p. 224-232.
38. Temme, E.H., et al., Greenhouse gas emission of diets in the Netherlands and associations with food, energy and macronutrient intakes. Public Health Nutr, 2015. 18(13): p. 2433-45.
39. van de Kamp, M.E., S.M. Seves, and E.H.M. Temme, Reducing meat consumption during dinner and changing the type of drinks consumed should be the main targets to lower greenhouse gas emissions of Dutch diets. Int J Behav Nutr Phys Act, 2017. to be published.
40. Vellinga, R.E., van Bakel, M., Biesbroek, S. et al. Evaluation of foods, drinks and diets in the Netherlands according to the degree of processing for nutritional quality, environmental impact and food costs. BMC Public Health 22, 877 (2022).
41. Kernebeek, H.R.J.v., et al. Optimising land use and consumption of livestock products in the human diet with an increasing human population in the Netherlands. in Proceedings of the Life Cycle Assessment Food Conference (LCA Food 2014). 2014.
42. Elferink, E.V., Meat, Milk and Eggs: Analysis of the animal food environment relations, in IVEM. 2009, RuG: Groningen. p. 101.
43. Pimentel, D. and M. Pimentel, Sustainability of meat-based and plant-based diets and the environment. Am J Clin Nutr, 2003. 78(3): p. 660S-663.
44. Willett, W., Rockström, J., Loken, B., Springmann, M., Lang, T., Vermeulen, S., ... & Murray, C. J. (2019). Food in the Anthropocene: the EAT–Lancet Commission on healthy diets from sustainable food systems. The Lancet, 393(10170), 447-492.
45. MilieuCentraal, Topkeurmerken voor duurzame voeding. 2016, Milieu Centraal: Utrecht. p. 48.
46. Vries, M.d. and I.J.M.d. Boer, Comparing environmental impacts for livestock products: A review of life cycle assessments. Livestock Science, 2010. 128(1): p. 1-11.
47. Blonk, H., A. Kool, and B. Luske, Milieueffecten Nederlandse consumptie van eiwitrijke producten. 2008, Blonk Milieu Advies: Gouda, Netherlands. p. 79.
48. Head, M., M. Sevenster, and H. Croezen, Life Cycle Impacts of Protein- rich Foods for Superwijzer. 2011, CE Delft: Delft. p. 70.

49. Venkat, K., Comparison of Twelve Organic and Conventional Farming Systems: A Life Cycle Greenhouse Gas Emissions Perspective. Journal of Sustainable Agriculture, 2012.
50. Tuomisto, H.L., et al., Does organic farming reduce environmental impacts? – A meta-analysis of European research. Journal of Environmental Management, 2012. 112: p. 309-320.
51. Kramer, G. and H. Blonk, Menu van Morgen: Gezond en duurzaam eten in Nederland, nu en later. 2015, Blonk Consultants: Gouda. p. 60.
52. Gezondheidsraad. Werkprogramma 2022 Gezondheidsraad. Den Haag; 2021
53. Heller, M.C., G.A. Keoleian, and W.C. Willett, Toward a life cycle-based, diet-level framework for food environmental impact and nutritional quality assessment: a critical review. Environ Sci Technol, 2013. 47(22): p. 12632-47.
54. Heinke, J., et al., Water use in global livestock production—Opportunities and constraints for increasing water productivity. 2020. Water Resources Research, 56(12), p.e2019WR026995.

Authors:

ir. Corné van Dooren, expert sustainable food *

dr. ir. Lisette Brink, expert nutrition and health

Marije Seves, expert sustainable food

Laura Wetzel, expert nutrition and health and sustainable food

** Now working as senior advisor sustainable diets, World Nature Fonds*

September 2022